Seminars in NUCLEAR MEDICINE

Contents of Volume III, 1973

NO. 1 JANUARY 1973

PEDIATRIC NUCLEAR MEDICINE. II

Letter From the Editors 1

Radionuclide Evaluation of Thyroid Disease in Children . . . . . *William R. Greig* 3

Radionuclide Techniques for the Evaluation of Diseases of the Urinary Tract in Children
M. Donald Blaufox and Leonard M. Freeman 27

Liver and Spleen Scintigraphy in Children . . . . . *S. Treves and R. Spencer* 55

Rose Bengal Excretion Studies as an Aid in the Differential Diagnosis of Neonatal Jaundice
Mervin Silverberg, Leonard Rosenthall, and Leonard M. Freeman 69

Radionuclide Techniques in Pediatric Hematology . . . . . *Philip A. Bardfeld* 81

Skeletal Scintigraphy in Children . . . . . *Larry D. Samuels* 89

NO. 2 APRIL 1973

THE HEART

Letter From the Editors 109

Basic Concepts of Radiocardiography . . . . . *Luigi Donato* 111

Coronary Blood Flow Assessment With Xenon and Rubidium
Otmar M. Pachinger, Harald T. Tillmanns, and Richard J. Bing 131

Detection of Intracardiac Shunts With Radionuclide Imaging
Larry D. Greenfield and Leslie R. Bennett 139

Radionuclide Determination of Myocardial Blood Flow
F. J. Bonte, R. W. Parkey, E. M. Stokley, S. E. Lewis, L. W. Horwitz, and G. C. Curry 153

Left Ventricular Volume and Ejection Fraction Determination by Radionuclide Angiography
William L. Ashburn, William J. Kostuk, Joel S. Karliner, Kirk L. Peterson, and Burton E. Sobel 165

Scintiphotographic Studies of Acquired Cardiovascular Disease
William G. Hayden and Joseph P. Kriss 177

Nuclear Medicine Studies in Patients With Pericardial Effusion
Edward V. Staab and Dennis D. Patton 191

NO. 3 JULY 1973

INSTRUMENTATION IN NUCLEAR MEDICINE. I

Letter From the Editors 203

Fundamentals of Scintillation Counting . . . . . *Trevor D. Cradduck* 205

The Care and Feeding of Medical Nuclear Instrumentation. . . . . *C. Craig Harris* 225

Performance Analysis of Imaging Systems . . . . . *Saul Aronow* 239

Collimation for Rectilinear Scanners and Camera Imaging Equipment . . . . . *Peter J. Kenny* 259

Radionuclide Tomography . . . . . *Gerald S. Freedman* 267

Factors Affecting the Collection and Analysis of Radiotracer Images
A. B. Brill and J. J. Erickson 285

NO. 4 OCTOBER 1973

INSTRUMENTATION IN NUCLEAR MEDICINE. II

Letter From the Editors 301

The Role of Computers in the Nuclear Medicine Laboratories. . . . . *H. I. Glass* 303

Quantification of the Radionuclide Image
D. W. Brown, D. L. Kirch, R. S. Trow, M. LeFree, and P. P. Steele 311

Factors Affecting Recognition of Scintigraphic Abnormalities
Alvin G. Schulz, Lawrence C. Kohlenstein, and Lloyd G. Knowles 327

Semiconductor Detector Systems . . . . . *Michel M. Ter-Pogossian and Michael E. Phelps* 343

Whole-Body Counting. . . . . *G. A. Andrews, W. D. Gibbs, A. C. Morris, Jr., and D. A. Ross* 367

Liquid Scintillation Counting in Nuclear Medicine . . . . . *Edwin D. Bransome, Jr.* 389

Indexes 400

17. Furlong NB: Liquid scintillation counting of samples on solid supports, in Bransome ED Jr (ed): reference 2, p 201

18. Grower MF, Bransome ED Jr: Liquid scintillation counting of ^{3}H and ^{14}C on solid supports: A warning. Anal Biochem 38:401, 1970

19. Neary MP, Budd AL: Color and chemical quenching, in Bransome ED Jr (ed): reference 2, p 273

20. Peng CT: A review of methods of quench correction in liquid scintillation counting, in Bransome ED Jr (ed): reference 2, p 283

21. Cavanaugh R: Statistical considerations in external standardization, in Bransome ED Jr (ed): reference 2, p 293

22. Wang CH: Quench compensation by means of gain restoration, in Bransome ED Jr (ed): reference 2, p 305

23. Klein PD, Eisler WJ: Through darkest quench with analyser and camera, in Horrocks DL, Peng ET (eds): Organic Scintillators, p 395

24. Ten Haaf FEL: Color quenching in liquid scintillation coincidence counters, in Crook MA, Johnson P, Scales B (eds): Liquid Scintillation Counting, p 39

25. Hendee WR, Ibbott GS, Crusha KL: ^{3}H-toluene, ^{3}H-water and ^{3}H-hexadecane as internal standards in toluene and dioxane-based liquid scintillation cocktails. Int J Appl Radiat Isot 23:90–95, 1972

26. Laney BH: Electronic rejection of optical crosstalk in a twin phototube scintillation counter, in Horrocks DL, Peng ET (ed): Organic Scintillators, p 991

27. Hercules DM: Physical basis of chemiluminescence, in Bransome ED Jr (ed): reference 2, p 315

28. Kalbhen DA: Chemiluminescence as a problem in liquid scintillation counting, in Bransome ED Jr (ed): reference 2, p 337

29. Bransome ED Jr, Grower MF: Detection and correction of chemiluminescence in liquid scintillation counting, in Bransome ED Jr (ed): reference 2, p 342

30. Scales B: Questions regarding the occurrence of unwanted luminescence in liquid scintillation samples, in Crook MA, Johnson P, Scales B (eds): Liquid Scintillation Counting, p 101

31. Kobayashi Y, Maudsley DV: Practical aspects of double isotope counting, in Bransome ED Jr (ed): reference 2, p 76

32. Bransome ED Jr: The design of double label radioisotope experiments, in: Methods in Enzymology: Hormones and Cyclic Nucleotides. New York, Academic Press (in press)

33. Grower MF, Bransome ED Jr: Off-line data reduction with small desk-top computer-calculators, in Bransome ED Jr (ed): reference 2, p 356

34. Grower MF, Bransome ED Jr: Handling liquid scintillation counting data with small desk-top computers. Anal Biochem 31:159, 1969

35. Spratt JL: Acquisition and handling of liquid scintillation counting data, in Crook MA, Johnson P, Scales B (eds): Liquid Scintillation Counting, p 245

36. Assailly J, Bader C, Funck-Brentano JL, Pavel D: Determination of statistical precision of tritium d.p.m. in dual labelled samples with variable isotope ratios and quenching, in Crook MA, Johnson P, Scales B (eds): Liquid Scintillation Counting, p 293

37. Parker RP, Elrick RH: Cerenkov counting as a means of assaying β-emitting radionuclides, in Bransome ED Jr (ed): reference 2, p 110

38. Davies PT, Deterding JH: Optimization of counting of samples with double radioactive labelling. Int J Appl Radiat Isot 23:293, 1972

AUTHOR INDEX TO VOLUME III

Andrews, G. A., 367
Aronow, S., 239
Ashburn, W. L., 165

Bardfeld, P. A., 81
Bennett, L. R., 139
Bing, R. J., 131
Blaufox, M. D., 27
Bonte, F. J., 153
Bransome, E. D., Jr., 389
Brill, A. B., 285
Brown, D. W., 311

Cradduck, T. D., 205
Curry, G. C., 153

Donato, L., 111

Erickson, J. J., 285

Freedman, G. S., 267
Freeman, L. M., 27, 69

Gibbs, W. D., 367
Glass, H. I., 303
Greenfield, L. D., 139
Greig, W. R., 3

Harris, C. C., 225
Hayden, W. G., 177
Horwitz, L. W., 153

Karliner, J. S., 165
Kenny, P. J., 259
Kirch, D. L., 311
Knowles, L. G., 327
Kohlenstein, L. C., 327
Kostuk, W. J., 165
Kriss, J. P., 177

LeFree, M., 311
Lewis, S. E., 153

Morris, A. C., Jr., 367

Pachinger, O. M., 131
Parkey, R. W., 153
Patton, D. D., 191
Peterson, K. L., 165
Phelps, M. E., 343

Rosenthall, L., 69
Ross, D. A., 367

Samuels, L. D., 89
Schulz, A. G., 327
Silverberg, M., 69
Sobel, B. E., 165
Spencer, R., 55
Staab, E. V., 191
Steele, P. P., 311
Stokley, E. M., 153

Ter-Pogossian, M. M., 343
Tillmanns, H. T., 131
Treves, S., 55
Trow, R. S., 311

SUBJECT INDEX TO VOLUME III

Abdominal tumors, strontium scintiscans in, 99
Albumin
  labeled with fluorine-18, in skeletal scintigraphy, 104
  labeled with technetium-99m
    in heart scans, 193, 194, 195, 199
    in intracardiac shunt detection, 145, 147–149
    in left ventricular function studies, 173
    in liver and spleen scintigraphy, 56
  radioiodinated
    in heart scans, 193
    in intracardiac shunt detection, 140
    in liver and spleen scintigraphy, 56
    in pericardial effusion diagnosis, 193
    in whole-body counting, 383
p-Aminohippuric acid, nonradioactive, for renal function studies, 29
Aneurysms
  aortic, diagnosis of, 187–188
  left ventricular, diagnosis of, 185–187
Anger camera, 221–222
  computers used with, 311–323
  resolution and sensitivity of, 289–295
Angiocardiography, radionuclide, 139–150
  in acquired cardiovascular disease, 177–189
  computers used with, 142, 322–323
  in left ventricular function studies, 165–175
  in pericardial effusion diagnosis, 191–200
Aorta, aneurysms of, diagnosis of, 187–188
Aortic valvular lesions, radionuclide angiocardiography in, 182–184
Arthritis, skeletal scintigraphy in, 99
Artifacts, in tomographic images, 275
Autofluoroscope, 297
Azotemia, in childhood, 37–40

Barium-131, in skeletal scintigraphy, 104
Barium-133, for testing of instruments, 256
Barium-135m, in skeletal scintigraphy, 104
Barium-137, in intracardiac shunt detection, 142
Barium-137m
  energy resolution of, 218
  photopeak of, 219
Biopsy, renal, scanning studies with, 50
Blood cells
  labeled with chromium-50, in red cell survival studies, 82

Blood cells (*Continued*)
labeled with chromium-51
in blood loss studies, 83
in liver and spleen scintigraphy, 56
in red cell survival studies, 81–82
in splenic sequestration studies, 82–83
in whole-body counting, 383
labeled with technetium-99m, for liver and spleen scintigraphy, 56
Blood disorders. *See* Hematology
Blood flow studies, 123–126
computers in, 304
coronary, 129, 132–137
myocardial, 126–129, 153–162
Blood loss studies, with blood cells labeled with chromium-51, 83
Body composition analysis, whole-body counting in, 382–384
Bone studies
in childhood, scintigraphy in, 89–105
compounds used in, 102–104
in malignant disease, 92–99
in nonmalignant disease, 99–102
tomography in, 277, 280–281
Brain
stimulated x-ray fluorescence studies of, 358, 359
tomographic images of, 271, 274, 276, 277–278
Bromine-82, in whole-body counting, 383

Cadmium telluride, as semiconductor detector, 346
Calcium-47, in whole-body counting, 383
Cameras, semiconductor, 352–355
Carbon dioxide, inspired, labeled with oxygen-15, 142
Cardiomyopathy, idiopathic, diagnosis of, 187
Cardiovascular conditions. *See* Heart
Cesium-131, in thyroid function tests in childhood, 14
Cesium-137
energy resolution of, 218
photopeak of, 219
Chemiluminescence, in liquid scintillation counting, 395
Chlormerodrin
labeled with mercury-197, in renal function studies, 28, 30–31, 36, 38, 41
labeled with mercury-203, in whole-body counting, 383
Cholegrafin, in heart scans, 193
Cholestasis, neonatal, differential diagnosis of, 69–80
Chromium-50, blood cells labeled with, in red cell survival studies, 82
Chromium-51
leukocytes labeled with, 83
platelets labeled with, 83–84
red cells labeled with
in blood loss studies, 83
in liver and spleen scintigraphy, 56
in red cell survival studies, 81–82
in splenic sequestration studies, 82–83
in whole-body counting, 383
Circulation time studies, 123–126
See also Blood flow
Cobalt-57
for testing of instruments, 256
vitamin B_{12} labeled with, in Schilling test, 84
Cobalt-60, in whole-body counting, 383
Collimators, 241, 259–265
converging multihole, 265
cylindrical straight bore, 261
diverging multihole, 265
focused, 261–263
parallel hole, 142–143, 263–264
pinhole, 143, 264
Compton scattering, 208–209, 350
Computer systems, 241, 303–309
with angiocardiography, 142, 322–323
in blood flow studies, 304
for dosimetry estimates, 307
with dynamic imaging, 305, 322–323
with liquid scintillation counting, 398
in metabolic and tracer kinetic studies, 305
for radioactivity assay, 303–304
for record keeping, 307
requirements for, 307–308
with scintigraphy, 142, 305–306, 311–323
specifications for, 308
with static imaging, 305–306, 320–322
in whole-body counting, 306–307
Copper-64, in whole-body counting, 383
Coronary blood flow studies, 129
with rubidium-84, 134–137
with xenon-133, 132–134
Cretinism, endemic, thyroid function studies in, 20–21

Detectors
scintillation, 369–370
basic operation of, 206–207
liquid, 369, 389–398
plastic, 370
semiconductor, 343–363, 370
sodium iodide, 345, 370
Diiodofluorescein, labeled with iodine-131, in intracardiac shunt detection, 140
Diodrast, radioactive, for renography, 32, 34
Distortion of images, sources of, 286–288

Double-label studies
liquid scintillation counting in, 395–398
semiconductor detectors in, 352, 354
Dysprosium-157, in skeletal scintigraphy, 103

Embolic vascular disease, renal, in childhood, 41–43
Erbium-171, in skeletal scintigraphy, 104

Fluorescence, stimulated x-ray, and semiconductor detectors, 355–359
Fluorine-18, for skeletal scintigraphy, 89, 90, 91, 92, 93, 95, 99, 100, 103, 104
Fresnel zone plates, use of, 265, 279

Gallium, in bone tumor diagnosis, 91, 97
Gallium-67, in thyroid function tests in childhood, 14
Gallium arsenide, as semiconductor detector, 346
Gamma-ray spectrometry, 216–219
Gases, radioactive
in intracardiac shunt detection, 140–141
in myocardial blood flow studies, 153–162
Gastrointestinal absorption studies, whole-body counting in, 382
Germanium, as semiconductor detector, 346, 370
Goiter, endemic, and thyroid function studies, 20–21
Gold-198, colloidal, in liver and spleen scintigraphy, 56
Growth abnormalities, skeletal scintigraphy in, 102

Heart
acquired cardiovascular diseases, 177–189
basic concepts of radiocardiography, 111–129
cardiac output studies, 118–123
with stimulated x-ray fluorescence, 358–359
circulation time studies, 123–126
coronary blood flow studies, 129, 131–137
detection of intracardiac shunts, 139–150
left ventricular function studies, 165–175
myocardial blood flow studies, 126–129, 153–162
pericardial effusion diagnosis, 191–200
Hematology, pediatric, radionuclides in, 81–87
blood loss studies, 83
iron studies, 84–86
platelet studies, 83–84
red cell survival studies, 81–82
Schilling test, 84
splenic sequestration studies, 82–83
Hepatic conditions. *See* Liver
Hippuran, radioactive, in renal function studies, 28, 29–30, 31, 32–35, 38
Hypaque, radioactive, in renography, 34
Hypertension, with unilateral renal disease, 30–32, 36

Indicator dilution studies
basic theory in, 112–116
of left ventricular function, 174
Indium-113m, transferrin labeled with
in heart scans, 193, 196
in liver and spleen scintigraphy, 56
Indium antimonide, as semiconductor detector, 346
Instrumentation in nuclear medicine
Anger camera, 221–222, 289–295
autofluoroscope, 297
calibration of, 229–233
collection and analysis of images, 285–299
collimators, 241, 259–265
components of, 240–242
computer uses, 241, 303–309
distortion sources, 286–288
environment for, 227–228
fundamentals of scintillation counting, 203–223
installation and initial operation of, 225–227
limitations of, 236–237
liquid scintillation counting, 369, 389–398
monitoring of performance, 234
operating policies for, 228–237
performance analysis of imaging systems, 239–256
phantom imaging procedures, 227, 253–256, 321
physical measurements, 252–256
quantification of radionuclide image, 311–323
recognition of scintigraphic abnormalities, 327–340
relation of sensitivity, resolution, and time, 242–244
resolution measurements, 247–252, 253–254
semiconductor detector systems, 343–363
sensitivity measurements, 244–246, 252–253
service calls for, 234–235
temperature affecting, 227–228
test programs for, 256
tomographic systems, 267–281, 306
video-based systems, 298–299
whole-body counting, 367–385
Insulin, nonradioactive, in renal function studies, 29
Iodine, areas deficient in, thyroid function studies in, 20–21
Iodine-123, in thyroid function tests, 13
Iodine-125
energy resolution of, 218

Iodine-125 (*Continued*)
iothalamate labeled with, 28, 29, 30
in thyroid function tests, 13
Iodine-131
albumin labeled with. *See* Albumin, radioiodinated diiodofluorescein labeled with, in intracardiac shunt detection, 140
iodipamide labeled with, in heart scans, 193
iodopyracet labeled with, for pulmonary dilution curves, 141
monoiodotyrosine labeled with, 18
orthoiodohippurate labeled with, 28, 29–30, 31, 32–35, 38
rose bengal labeled with
in differential diagnosis of neonatal jaundice, 69–80
in liver and spleen scintigraphy, 56
in thyroid function tests, in childhood, 13–20
thyroxine labeled with, 9
triiodothyronine labeled with, 9–10
in whole-body counting, 383
Iodine-132, in thyroid function tests, 13, 15, 19
Iodipamide, labeled with iodine-131, in heart scans, 193
Iodopyracet, labeled with iodine-131, for pulmonary dilution curves, 141
Iothalamate, labeled with iodine-125, in renal function studies, 28, 29, 30, 34
Iron-55, in iron studies in childhood, 85
Iron-58, in iron studies in childhood, 86
Iron-59, in iron studies in childhood, 85
Iron ascorbate, labeled with technetium-99m
in renal function studies, 28, 36
in whole-body counting, 383

Jaundice, neonatal, differential diagnosis of, 69–80

Kidneys
tomoscanning of, 277
See also Urinary tract diseases in childhood
Krypton-85
in intracardiac shunt detection, 140–141
in myocardial blood flow studies, 154, 157

Leukocytes, labeled with chromium-51, 83
Liquid scintillation detectors, 369, 389–398
capabilities of, 390–391
chemiluminescence in, 395
computers with, 398
in double-label counting, 395–398
quench correction in, 393–395
sample preparation in, 391–393
Lithium, in semiconductor detectors, 346–347
Liver
differential diagnosis of neonatal jaundice, 69–80
scintigraphy of, in children, 55–67
compounds used in, 56–58
interpretation of, 60–67
materials and methods in, 58–59
tomographic images of, 271, 274
Lung scans
in intracardiac shunt detection, 149–150
tomoscanning in, 276
Lutetium-176m, in skeletal scintigraphy, 104
Lutetium-177, in skeletal scintigraphy, 104

Magnetic fields, affecting scintillators, 216
Mercuric iodide, as semiconductor detector, 346
Mercury-197, chlormerodrin labeled with, in renal function studies, 28, 30–31, 36, 38, 41
Mercury-203
chlormerodrin labeled with, in whole-body counting, 383
photopeak of, 220
Methionine, labeled with selenium-75. *See* Selenium-75
Miokon, radioactive, for renography, 34
Mitral valvular lesions, radionuclide angiocardiography in, 179–181, 184
Myocardial blood flow studies, 126–129, 153–162
mean flow, 156–157
regional flow, 157–162

Nephrology
tomoscanning in, 277
See also Urinary tract diseases in childhood

Occupational surveillance, whole-body counting in, 379–381
Orthoiodohippurate, labeled with iodine-131, in renal function studies, 28, 29–30, 31, 32–35, 38
Osteomyelitis, skeletal scintigraphy in, 99
Oxygen-15, inspired carbon dioxide labeled with, 142

Pancreas, tomographic images of, 274
Pediatric nuclear medicine
differential diagnosis of neonatal jaundice, 69–80
hematologic studies, 81–87
liver and spleen scintigraphy, 55–67
skeletal scintigraphy, 89–105
spleen scintigraphy, 87
thyroid disease diagnosis, 3–21
urinary tract disease, 27–50
Pendred's syndrome, 17
Perchlorate discharge test, in thyroid function studies, 17–18
Pericardial effusion diagnosis, 191–200

Pertechnetate. *See* Technetium-99m, pertechnetate
Phantom imaging procedures, 227, 253–256, 321
  in tomography, 273, 275–276
Phosphate compounds, labeled with technetium-99m, for skeletal scintigraphy, 89, 90, 103, 280–281
Photoelectric absorption, in scintillator, 208
Plastic scintillation detectors, 370
Platelets, labeled with chromium-51, 83–84
Positron systems, in tomography, 279
Potassium radioisotopes, in coronary blood flow studies, 126–129
Pulmonary circulation time studies, 124–126
Pulmonary vascular dilution curves, 141–142

Quantification of radionuclide image, 311–323
Quench correction techniques, in liquid scintillation counting, 393–395

Radiation absorption, in scintillator, 207–210
Radioactivity assays
  computers for, 303–304
  whole-body counting in, 378–379, 381
Renal diseases
  tomoscanning in, 277
  See also Urinary tract diseases in childhood
Rose bengal, radioiodinated
  in differential diagnosis of neonatal jaundice, 69–80
  in liver and spleen scintigraphy, 56
Rubidium-84, in coronary blood flow studies, 134–137
Rubidium-86, in coronary blood flow studies, 126–129, 134

Samarium-153, in skeletal scintigraphy, 104
Schilling test, radionuclides in, 84
Scintigraphy and scanning
  basic operation of detector in, 206–207
  in cardiovascular disease, acquired, 177–189
  care of instruments in, 225–238
  collimators for, 241, 259–265
  computers with, 142, 305–306, 311–323
  conversion of absorbed energy in, 210–211
  crystal assemblies in, 211–213
  differential energy spectra in, 219–221
  dynode structures in, 214–215
  feedback limitations in, 215–216
  fundamentals of scintillation counting in, 205–223
  and gamma-ray spectrometry, 216–219
  in intracardiac shunt detection, 139–150
  of kidney, in childhood, 32, 38–39
  in left ventricular function studies, 165–175
  light trapping in, 211
  of liver, in childhood, 55–67
    in differential diagnosis of neonatal jaundice, 69–80
  of lung, in intracardiac shunt detection, 149–150
  magnetic fields affecting, 216
  in myocardial blood flow studies, 158–159
  performance tests of systems in, 239–256
  in pericardial effusion diagnosis, 191–200
  photocathode efficiency in, 213–214
  radiation absorption in, 207–210
  recognition of abnormalities in, 327–340
    compromises between count density and contrast, 334–336
    compromises between statistical fluctuations and contrast, 336–337
    contrast in, 331–333
    count density in, 328–331
    and prediction of observer performance, 338–340
    and size of abnormality, 333–334
  semiconductors in, 349–352
  skeletal, in children, 89–105
  of spleen, in childhood, 55–67, 87
  of thyroid, in childhood, 19–20
  tomographic, 275–279
Scintillation detectors
  basic operation of, 206–207
  liquid, 369, 389–398
  plastic, 370
  sodium iodide, 345, 370
Selenium-75
  in liver and spleen scintigraphy, 56
  in thyroid function tests, 14
Semiconductor detector systems, 343–363
  in cameras, 352–355
  in dual-isotope scanning, 352, 354
  in vitro studies of, 362–363
  in probes, 360–362
  in scanning, 349–352
  in stimulated x-ray fluorescence, 355–359
  theory of operation, 343–349
  in transmission studies, 359–360
Silicon, as semiconductor detector, 346
Skeletal conditions. *See* Bone studies
Sodium-22, in whole-body counting, 383
Sodium-24
  in intracardiac shunt detection, 140
  in myocardial blood flow studies, 154
  in whole-body counting, 383
Sodium iodide crystals, as detectors, 345, 370
Spectrometry, gamma-ray, 216–219
Spleen
  red cell sequestration in, radionuclide studies of, 81–83
  scintigraphy of, in children, 55–67, 87
    compounds used in, 56–58

Spleen (*Continued*)
interpretation of, 60–67
materials and methods in, 58–59
Strontium-85
for skeletal scintigraphy in children, 89, 92, 93, 99, 102, 104
for whole-body counting, 383
Strontium-87m, for skeletal scintigraphy in children, 89–103
Sulfur colloid, labeled with technetium-99m
in liver scintigraphy, 56
in spleen scintigraphy, 56, 87

Technetium-99m
albumin labeled with
in heart scans, 193, 194, 195, 199
in intracardiac shunt detection, 145, 147–149
in left ventricular function studies, 173
in liver and spleen scintigraphy, 56
blood cells labeled with, in liver and spleen scintigraphy, 56
energy resolution of, 218
iron ascorbate labeled with
in renal function studies, 28, 36
in whole-body counting, 383
pertechnetate
in cardiovascular diseases, acquired, 177–189
in intracardiac shunt detection, 142, 143, 145, 147
in left ventricular function studies, 165–175
in pericardial effusion diagnosis, 191–200
in renal function studies, 28, 41–43, 46
phosphate compounds labeled with, in skeletal scintigraphy, 89, 90, 103, 280–281
skin contamination from, 307
sulfur colloid labeled with
in liver scintigraphy, 56
in spleen scintigraphy, 56, 87
in thyroid function tests, in childhood, 13–14
Temperature, affecting instrumentation, 227–228
Thoracic tumors, strontium scintiscans in, 97
Thulium-167, in skeletal scintigraphy, 104
Thyroid function tests
basis of, and thyroid physiology, 4–6
in children, 11–21
diagnostic process in, 11–13
indications for, 14–20
radionuclide choice in, 13–14
in endemic goiter areas, 20–21
in vitro tests, 6–8
and monoiodotyrosine excretion test, 18
and perchlorate discharge test, 17–18
protein-bound iodine levels in, 8
scintigraphy in, 19–20
serum total thyroxine in, 8–9
stimulated x-ray fluorescence in, 357
triiodothyronine resin test in, 9–11
TSG stimulation test in, 15
Thyroxine, labeled with iodine-131, in whole-body counting, 383
Tomography, radionuclide, 267–281, 306
artifacts in, 275
in bone studies, 277, 281
of brain, 271, 274, 276, 277–278
of kidneys, 277
of liver, 271, 274, 276
of lungs, 276
of pancreas, 274
phantom studies in, 273, 275–276
transverse section, 271, 277–278
Transferrin, labeled with indium-113m
in heart scans, 193, 196
in liver and spleen scintigraphy, 56
Transplantation, renal function studies in, 48–50
Trauma
renal, in childhood, 41
skeletal scintigraphy in, 99, 102
Triiodothyronine, labeled with iodine-131, in whole-body counting, 383
Tumors
abdominal, strontium scintiscans in, 99
of bone, skeletal scintigraphy in, 92–97
thoracic, strontium scintiscans in, 97

Uremia, in childhood, 37–40
Ureterovesical reflux, in childhood, 43–48
Urinary tract diseases in children, 27–50
and contrast media sensitivity, 50
horseshoe kidney and other congenital anomalies, 40–41
obstructive disease, 36–37
quantitative assessment of renal function in, 28–30
renal biopsy in, 50
renogram analysis in, 32–36
residual urine, 48
transplant evaluation, 48–50
trauma and embolic vascular disease, 41–43
unilateral renal disease with hypertension, 30–32, 36
uremia, 37–40
ureterovesical reflux, 43–48

Valvular heart disease, radionuclide angiocardiography in, 177–184
Ventricles of heart, left
aneurysms of, 185–187
function studies, 165–175
hypertrophy of, 183
Video recording systems, 142, 298–299

Vitamin B_{12}, labeled with cobalt-57, in Schilling test, 84

Whole-body counting, 367–385
applications of, 378–384
in body composition analysis, 382–384
computers in, 306–307
concepts in, 368–373
data handling in, 375–377
in gastrointestinal absorption studies, 382
instrument design in, 373–375
in occupational surveillance, 379–381
quantitation in, 377
in radioactivity assays, 378–379, 381
shielding in, 371, 374–375

Xenon-133
in coronary blood flow studies, 132–134
in intracardiac shunt detection, 147–149
in myocardial blood flow studies, 153–162

Zone plates, Fresnel, 265, 279